



**SDP INTERTRADE CO.,LTD**

**บริษัท เอสดีพี อินเตอร์เทรด จำกัด**

# COMPUTER PANEL SAW

**MODEL : WDX-829CP/829P**



**MODEL : WDX-832**





**SDP INTERTRADE CO.,LTD**

**บริษัท เอสดีพี อินเตอร์เทรด จำกัด**




Edited with the trial version of  
Foxit Advanced PDF Editor

To remove this notice, visit:  
[www.foxitsoftware.com/shopping](http://www.foxitsoftware.com/shopping)

## MODEL : WDX-838CP



## MODEL : WDX-232-226





## Software & Controller

The Wdmax machine controller program allows you to create and optimize cutting cards, and also has the ability to connect via an local network with an engineer's office computer.

### **Batch cutting optimizer**

The ability to programmatically integrate with European saw centers operating in your workshop.

Optional - label printing.



## Machine Structure

The machine bed is made of special carbon steel, which provides very high stiffness and torsional resistance.






**SDP INTERTRADE CO.,LTD**

**บริษัท เอสดีพี อินเตอร์เทรด จำกัด**



## **Rack&Pinion Saw Carriage**

- \* Max cutting speed 85 m/min
- \* Automatic position for next . cutting piece



## **Main saw blade & Scoring saw blade**

- \* Automatic Up and Down follow work piece thickness
- \* Max cutting thickness 120 mm. (Optional)
- \* Saw blade protection when electric shut down.





- \* Quick Change system with air gun



- 机械手移动采用瑞士进口高精度蜗轮减速机，切板精确度达到 $\pm 0.1\text{mm}$ 。  
Imported with swiss high precision worm speed reducer, the cutting precision reach to  $\pm 0.1\text{mm}$ .

## Gripper and Floating table

- \* gripper size 34\*45 mm.
- \* Max gripping thickness 120 mm.




- 采用灵活的裹胶双指结构，最小夹板尺寸可实现 34×45mm。

Gripper fingers move vertically assuring grip force and stability with latest design, the minium cutting size is 34×45mm.


## FLOATING TABLE (FULL COVER)

- With floating ball full cover of the table





## SIDE ALIGNER



C: 侧靠 (选配)

Side alignment (option)



**WDX-838CP (12 feet)**

- Cutting size - 3750 \* 3750 mm.
- Cutting height - 90 mm(120mm Option)
- Main Sawblade - 400\*75H mm
- Scoring Saw blade - 200\*50Hmm
- Saw cutting speed - 9-85 m / min
- Saw return speed - 125 m / min
- The speed of pusher is 85 m / min
- Number of pusher clamps - 10 pcs
- Main sawblade motor - 15 kW
- Scoring sawblade motor - 1.5 kW
- SawCarriage Servo motor - 2 kW
- Gripper Servo motor - 2 kW
- Number of pusher clamps - 10 pcs
- Weight - 6560 kg.

**WDX-832CP (10 feet)**

- Cutting size - 3100 \* 3100 mm.
- Cutting height - 90 mm(120mm Option)
- Main Sawblade - 400\*75H mm
- Scoring Saw blade - 200\*50Hmm
- Saw cutting speed - 9-85 m / min
- Saw return speed - 125 m / min
- The speed of pusher is 85 m / min
- Number of pusher clamps - 10 pcs
- Main sawblade motor - 15 kW
- Scoring sawblade motor - 1.5 kW
- SawCarriage Servo motor - 2 kW
- Gripper Servo motor - 2 kW
- Weight - 5850 kg.

**WDX-829CP/829P (8 feet)**

- Cutting size - 2700 \* 2700 mm.;
- Cutting height - 90 mm(120mm Option)
- Main Sawblade - 400\*75H mm
- Scoring Saw blade - 200\*50Hmm
- Saw cutting speed - 9-85 m / min
- Saw return speed - 125 m / min
- The speed of pusher is 85 m / min
- Number of pusher clamps - 10 pcs
- Main sawblade motor - 15 kW
- Scoring sawblade motor - 1.5 kW
- SawCarriage Servo motor - 2 kW
- Gripper Servo motor - 2 kW;
- Number of pusher clamps - 8 pcs
- Power - 15/25 kW;
- Weight - 6560 kg.

**WDX-232 (10 feet)**

- Cutting Length - 3250 mm.;
- Cutting height - 90 mm .;
- Saw speed - 15-45 m / min;
- Saw return speed - 70 m / min;
- Power - 15 kW;
- Weight - 3000 kg.

โทรเบอร์กลาง 092-223-2401